



Jinan QiMing Bearing Co., Ltd.



MSE407BRHFATL Bearing 2D drawings and 3D CAD models

TIMKEN MSE407BRHFATL Flange Block Bearings

Bearing No. MSE407BRHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	67.82
EAN	0013992049322
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE407BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 4-7/16" Bore; 14.7" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 3.937" Length Thru Bore; 10.4" Bolt Spacing; R



Jinan QiMing Bearing Co., Ltd.

Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	149.38
Bolt Spacing	10.4 Inch 264.5 Millimeter
Nominal Bolt Circle Diameter Round	14.7 Inch 374 Millimeter
d	4.438 Inch 112.725 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	3.937 Inch 100 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Shaft Size	4-7/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M24
Bearing - Housing - Seal	MSE407BRHATL
Bearing - Housing - Seal UPC	013992039521
Bearing UPC	013992032577
Dimension T	17.0 in
Dimension R	14.7 in
Dimension P	0.9 in
Dimension H	3.9 in
Dimension N	12.375 in



Jinan QiMing Bearing Co., Ltd.

Dimension V	0.1 in
Dimension L	7.1 in
Cr - Dynamic Load Rating	102063 lbf
Cor - Static Load Rating	133087 lbf
Ca - Axial Load Rating	7014 lbf
Maximum Speed	1820 rpm
Note	This product line was formerly known as "Revolvo"